

All steel stock frame order form.

Company Name:	-	
Purchase Order #	-	

J.D.	Short Description	Qty.	Full Description
534	6'8 LHHJ		KD16 5 3/4" JD x 6'8 HINGE JAMB x LH
534	6'8 RHHJ		KD16 5 3/4" JD x 6'8 HINGE JAMB x RH
534	6'8 LHSJ		KD16 5 3/4" JD x 6'8 STRIKE JAMB x LH x ASA
534	6'8 RHSJ		KD16 5 3/4" JD x 6'8 STRIKE JAMB x RH x ASA
534	6'8 LHBJ		KD16 5 3/4" JD x 6'8 BLANK STRIKE JAMB x LH
534	6'8 RHBJ		KD16 5 3/4" JD x 6'8 BLANK STRIKE JAMB x RH
534	6'8 LHBJ NBH		KD16 5 3/4" JD x 6'8 BLANK STRIKE JAMB x LH ** NO BUMBER HOLES **
534	6'8 RHBJ NBH		KD16 5 3/4" JD x 6'8 BLANK STRIKE JAMB x RH ** NO BUMBER HOLES **
534	7'0 LHHJ		KD16 5 3/4" JD x 7'0 HINGE JAMB x LH
534	7'0 RHHJ		KD16 5 3/4" JD x 7'0 HINGE JAMB x RH
534	7'0 LHSJ		KD16 5 3/4" JD x 7'0 STRIKE JAMB x LH x ASA
534	7'0 RHSJ		KD16 5 3/4" JD x 7'0 STRIKE JAMB x RH x ASA
534	7'0 LHBJ		KD16 5 3/4" JD x 7'0 BLANK STRIKE JAMB x LH
534	7'0 RHBJ		KD16 5 3/4" JD x 7'0 BLANK STRIKE JAMB x RH
534	7'0 LHBJ NBH		KD16 5 3/4" JD x 7'0 BLANK STRIKE JAMB x LH ** NO BUMBER HOLES **
534	7'0 RHBJ NBH		KD16 5 3/4" JD x 7'0 BLANK STRIKE JAMB x RH ** NO BUMBER HOLES **
534	2150 LHHJ		KD16 5 3/4" JD x 2150MM HINGE JAMB x LH 7'0 HINGE LOCATION TOP DOWN
534	2150 RHHJ		KD16 5 3/4" JD x 2150MM HINGE JAMB x RH 7'0 HINGE LOCATION TOP DOWN
534	2150 LHSJ		KD16 5 3/4" JD x 2150MM STRIKE JAMB x LH x ASA @ 40 5/16" CL BOTTOM UP
534	2150 RHSJ		KD16 5 3/4" JD x 2150MM STRIKE JAMB x RH x ASA @ 40 5/16" CL BOTTOM UP
534	2150 LHBJ NBH		KD16 5 3/4" JD x 2150MM BLANK STRIKE JAMB x LH ** NO BUMPER HOLES **
534	2150 RHBJ NBH		KD16 5 3/4" JD x 2150MM BLANK STRIKE JAMB x RH ** NO BUMPER HOLES **
534	2150 LHBJ		KD16 5 3/4" JD x 2150MM BLANK STRIKE JAMB x LH
534	2150 RHBJ		KD16 5 3/4" JD x 2150MM BLANK STRIKE JAMB x RH
534	68 CASED OPEN		CASED OPEN AS16 5 3/4" JD x 6'8 BLANK JAMB
534	70 CASED OPEN		CASED OPEN AS16 5 3/4" JD x 7'0 BLANK JAMB
534	30 CASED OPEN		CASED OPEN AS16 5 3/4" JD x 3'0 HEAD
534	60 CASED OPEN		CASED OPEN AS16 5 3/4" JD x 6'0 HEAD
534	2'4 HD		KD16 5 3/4" JD x 2'4 HEAD
534	2'6 HD		KD16 5 3/4" JD x 2'6 HEAD
534	2'8 HD		KD16 5 3/4" JD x 2'8 HEAD
534	2'10 HD		KD16 5 3/4" JD x 2'10 HEAD
534	3'0 HD		KD16 5 3/4" JD x 3'0 HEAD
534	3x2 5/8		KD16 5 3/4" JD x 3'0 HEAD C/W 2 5/8" FACE
534	900		KD16 5 3/4" JD x 900MM HEAD
534	3'0 x4		KD16 5 3/4" JD x 3'0 HEAD C/W 4" FACE
534	3'6 HD		KD16 5 3/4" JD x 3'6 HEAD
534	3'8 HD		KD16 5 3/4" JD x 3'8 HEAD

All steel stock frame order form.

Company Name:	-	
Purchase Order #	-	

J.D.	Short Description	Qty.	Full Description
534	4'0 HD		KD16 5 3/4" JD x 4'0 HEAD
534	5'0 HD		KD16 5 3/4" JD x 5'0 HEAD (DBL)
534	5'4 HD		KD16 5 3/4" JD x 5'4 HEAD (DBL)
534	6'0 HD		KD16 5 3/4" JD x 6'0 HEAD (DBL)
534	6,0HD 4F		KD16 5 3/4" JD x 6'0 HEAD (DBL) C/W 4" FACE
534	6'0 x 2 5/8		KD16 5 3/4" JD x 6'0 HEAD (DBL) C/W 2 5/8" FACE
534	8'0 HD		KD16 5 3/4" JD x 8'0 HEAD (DBL)
534	1800 HD		KD16 5 3/4" JD x 1800MM HEAD (DBL)
534	10' PER		AS16 5 3/4" JD x 10'0 BLANK PERIMETER
534	10'-4" PER		AS16 5 3/4" JD x 10'-4" BLANK PERIMETER (skid of 100 pces only)
534	10' PER C/W 4"F		AS16 5 3/4" JD x 10'0 BLANK PERIMETER C/W 4" FACE
534	10' BM		AS16 5 3/4" JD x 10'0 BLANK MULLION
534	10'-4" BM		AS16 5 3/4" JD x 10'-4" BLANK MULLION (skid of 50 pces only)
534	9-1/2" sill		AS16 5 3/4" JD x 10'0 SILL C/W 9 1/2" FACE
534	8" mid rail		AS16 5 3/4" JD x 10'0 MID RAIL C/W 8" FACE
534	SUA3070LH		SUA16 5 3/4" JD x 3'0 X 7'0 x LH x ASA (WELDED)
534	SUA3070RH		SUA16 5 3/4" JD x 3'0 X 7'0 x RH x ASA (WELDED)
534	8'0 LHHJ		KD16 5 3/4" JD x 8'0 HINGE JAMBS x LH
534	8'0 RHHJ		KD16 5 3/4" JD x 8'0 HINGE JAMBS x RH
534	8'0 LHSJ		KD16 5 3/4" JD x 8'0 STRIKE JAMBS x LH x ASA
534	8'0 RHSJ		KD16 5 3/4" JD x 8'0 STRIKE JAMBS x RH x ASA
534	10' LHHM 2150		AS16 5 3/4" JD x 10'0 EXTENDED HINGE MULLIONS x LH HINGE LOC. 8 3/4" - 31 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' RHHM 2150		AS16 5 3/4" JD x 10'0 EXTENDED HINGE MULLIONS x RH HINGE LOC. 8 3/4" - 31 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' LHHM 6'8		AS16 5 3/4" JD x 10'0 EXTENDED HINGE MULLIONS x LH HINGE LOC. 8 1/8" - 29 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' RHHM 6'8		AS16 5 3/4" JD x 10'0 EXTENDED HINGE MULLIONS x RH HINGE LOC. 8 1/8" - 29 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' LHSM		AS16 5 3/4" JD x 10'0 EXTENDED STRIKE MULLIONS x LH x ASA @ 40 5/16" C/L BOTTOM UP.
534	10' RHSM		AS16 5 3/4" JD x 10'0 EXTENDED STRIKE MULLIONS x RH x ASA @ 40 5/16" C/L BOTTOM UP.
534	10' LHHJ 2150		AS16 5 3/4" JD x 10'0 EXTENDED HINGE JAMBS x LH HINGE LOC. 8 3/4" - 31 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' RHHJ 2150		AS16 5 3/4" JD x 10'0 EXTENDED HINGE JAMBS x RH HINGE LOC. 8 3/4" - 31 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' LHHJ 6'8		AS16 5 3/4" JD x 10'0 EXTENDED HINGE JAMBS x LH HINGE LOC. 8 1/8" - 29 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' RHHJ 6'8		AS16 5 3/4" JD x 10'0 EXTENDED HINGE JAMBS x RH HINGE LOC. 8 1/8" - 29 15/16" PITCH **BOTTOM UP** (3 HINGES)
534	10' LHSJ		AS16 5 3/4" JD x 10'0 EXTENDED STRIKE JAMBS x LH x ASA @ 40 5/16" C/L BOTTOM UP.
534	10' RHSJ		AS16 5 3/4" JD x 10'0 EXTENDED STRIKE JAMBS x RH x ASA @ 40 5/16" C/L BOTTOM UP.

All steel stock frame order form.

Company Name:	-	
Purchase Order #	-	

J.D.	Short Description	Qty.	Full Description
634	6'8 LHHJ		KD16 6 3/4" JD x 6'8 HINGE JAMB x LH
634	6'8 RHHJ		KD16 6 3/4" JD x 6'8 HINGE JAMB x RH
634	6'8 LHSJ		KD16 6 3/4" JD x 6'8 STRIKE JAMB x LH x ASA
634	6'8 RHSJ		KD16 6 3/4" JD x 6'8 STRIKE JAMB x RH x ASA
634	7'0 LHHJ		KD16 6 3/4" JD x 7'0 HINGE JAMB x LH
634	7'0 RHHJ		KD16 6 3/4" JD x 7'0 HINGE JAMB x RH
634	7'0 LHSJ		KD16 6 3/4" JD x 7'0 STRIKE JAMB x LH x ASA
634	7'0 RHSJ		KD16 6 3/4" JD x 7'0 STRIKE JAMB x RH x ASA
634	2'6 HD		KD16 6 3/4" JD x 2'6 HEAD
634	2'8 HD		KD16 6 3/4" JD x 2'8 HEAD
634	2'10 HD		KD16 6 3/4" JD x 2'10 HEAD
634	3'0 HD		KD16 6 3/4" JD x 3'0 HEAD
634	6'0 HD		KD16 6 3/4" JD x 6'0 HEAD (DBL)
834	6'8 LHHJ		KD16 8 3/4" JD x 6'8 HINGE JAMB x LH
834	6'8 RHHJ		KD16 8 3/4" JD x 6'8 HINGE JAMB x RH
834	6'8 LHSJ		KD16 8 3/4" JD x 6'8 STRIKE JAMB x LH x ASA
834	6'8 RHSJ		KD16 8 3/4" JD x 6'8 STRIKE JAMB x RH x ASA
834	7'0 LHHJ		KD16 8 3/4" JD x 7'0 HINGE JAMB x LH
834	7'0 RHHJ		KD16 8 3/4" JD x 7'0 HINGE JAMB x RH
834	7'0 LHSJ		KD16 8 3/4" JD x 7'0 STRIKE JAMB x LH x ASA
834	7'0 RHSJ		KD16 8 3/4" JD x 7'0 STRIKE JAMB x RH x ASA
834	2'6 HD		KD16 8 3/4" JD x 2'6 HEAD
834	2'8 HD		KD16 8 3/4" JD x 2'8 HEAD
834	2'10 HD		KD16 8 3/4" JD x 2'10 HEAD
834	3'0 HD		KD16 8 3/4" JD x 3'0 HEAD
834	900		KD16 8 3/4" JD x 900MM HEAD
834	6'0 HD		KD16 8 3/4" JD x 6'0 HEAD (DBL)

All steel stock frame order form.

Company Name:	-	
Purchase Order #	-	

THROAT	Short Description	Qty.	Full Description
DWKD458	6'8 LHHJ		DW KD16 4 5/8" THT (5 3/4" JD) x 6'8 HINGE JAMB x LH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	6'8 RHHJ		DW KD16 4 5/8" THT (5 3/4" JD) x 6'8 HINGE JAMB x RH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	6'8 LHSJ		DW KD16 4 5/8" THT (5 3/4" JD) x 6'8 STRIKE JAMB x LH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	6'8 RHSJ		DW KD16 4 5/8" THT (5 3/4" JD) x 6'8 STRIKE JAMB x RH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	7'0 LHHJ		DW KD16 4 5/8" THT (5 3/4" JD) x 7'0 HINGE JAMB x LH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	7'0 RHHJ		DW KD16 4 5/8" THT (5 3/4" JD) x 7'0 HINGE JAMB x RH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	7'0 LHSJ		DW KD16 4 5/8" THT (5 3/4" JD) x 7'0 STRIKE JAMB x LH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	7'0 RHSJ		DW KD16 4 5/8" THT (5 3/4" JD) x 7'0 STRIKE JAMB x RH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD458	2'6 HD		DW KD16 4 5/8" THT (5 3/4" JD) x 2'6 HEAD C/W DRYWALL RETURNS
DWKD458	2'8 HD		DW KD16 4 5/8" THT (5 3/4" JD) x 2'8 HEAD C/W DRYWALL RETURNS
DWKD458	2'10 HD		DW KD16 4 5/8" THT (5 3/4" JD) x 2'10 HEAD C/W DRYWALL RETURNS
DWKD458	3'0 HD		DW KD16 4 5/8" THT (5 3/4" JD) x 3'0 HEAD C/W DRYWALL RETURNS
DWKD458	6'0 HD		DW KD16 4 5/8" THT (5 3/4" JD) x 6'0 HEAD (DBL) C/W DRYWALL RETURNS
DWKD478	6'8 LHHJ		DW KD16 4 7/8" THT (5 3/4" JD) x 6'8 HINGE JAMB x LH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	6'8 RHHJ		DW KD16 4 7/8" THT (5 3/4" JD) x 6'8 HINGE JAMB x RH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	6'8 LHSJ		DW KD16 4 7/8" THT (5 3/4" JD) x 6'8 STRIKE JAMB x LH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	6'8 RHSJ		DW KD16 4 7/8" THT (5 3/4" JD) x 6'8 STRIKE JAMB x RH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	7'0 LHHJ		DW KD16 4 7/8" THT (5 3/4" JD) x 7'0 HINGE JAMB x LH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	7'0 RHHJ		DW KD16 4 7/8" THT (5 3/4" JD) x 7'0 HINGE JAMB x RH C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	7'0 LHSJ		DW KD16 4 7/8" THT (5 3/4" JD) x 7'0 STRIKE JAMB x LH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	7'0 RHSJ		DW KD16 4 7/8" THT (5 3/4" JD) x 7'0 STRIKE JAMB x RH x ASA C/W DRYWALL RETURNS C/W WELDED-IN Z ANCHORS
DWKD478	2'6 HD		DW KD16 4 7/8" THT (5 3/4" JD) x 2'6 HEAD C/W DRYWALL RETURNS
DWKD478	2'8 HD		DW KD16 4 7/8" THT (5 3/4" JD) x 2'8 HEAD C/W DRYWALL RETURNS
DWKD478	2'10 HD		DW KD16 4 7/8" THT (5 3/4" JD) x 2'10 HEAD C/W DRYWALL RETURNS
DWKD478	3'0 HD		DW KD16 4 7/8" THT (5 3/4" JD) x 3'0 HEAD C/W DRYWALL RETURNS
DWKD478	6'0 HD		DW KD16 4 7/8" THT (5 3/4" JD) x 6'0 HEAD (DBL) C/W DRYWALL RETURNS